


MODEL OF THE MONTH

Filati Handknitting 49



MODEL 11 JACKET WITH CABLE AND LACE PATTERN

Size 36/38

Finished Bust 36¼"

Length 23½"

Materials: approx. 6 balls (approx. 165yd/150m each) of Lana Grossa **Garzato Fine** (40% baby alpaca, 20% superkid mohair, 20% Merino wool, 20% polyamide) in taupe (col 2). Size 8 or 9 [5 or 5.5mm] needles, size 8 [5mm] circular needle, cable needle [cn]; one 2¾" [70mm] long shawl pin in copper [by Union Knopf, item 57216].

Rib Pattern: p2, k2.

Cable/Lace Pattern: work according to chart.

Gauge: 16 sts and 21 rows = 4"

[10 cm] in cable/lace pat.

Back: cast on 74 sts and work in cable/lace pat according to chart as foll: selvage st, work pat rep 6 times, selvage st. Shape sides: dec 1 st at each end every 10th row 4 times – 64 sts. Cont in pat as established until back measures 10¼" [26cm] from beg. Inc 1 st at each end on next row, then every foll 6th row 3 times – 74 sts. Work increased sts into cable/lace pat. Cont in pat as established until back measures 15¼" [39cm] from beg. Shape armholes: bind off 6 sts at beg of next 2 rows – 62 sts. Cont in pat as established until back measures 22½" [57cm] from beg. Shape neck: work to center 10 sts, join another ball of yarn, bind off center 10 sts, work to end. Working both sides at same time, bind off 3 sts at each neck edge once and 2 sts once. At same time, on first row of neck shaping, shape shoulders: bind off 7 sts at each shoulder edge 3 times.

Left Front: cast on 8 sts and work in cable/lace pat according to chart as foll: selvage st, work first 6 sts of pat rep, selvage st. Work side and armhole shaping at right edge same as for back. At same time, shape front edge as foll: cast on 6 sts at left edge once, 5 sts once, 3 sts once and 2 sts once, then

inc 1 st every other row 14 times. Work increased sts into cable/lace pat – 38 sts. Cont in pat as established until left front measures 6¾" [17cm] from beg. Dec 1 st at left edge once, then every foll 8th row 10 times. When same length as back to shoulder, shape shoulder at right edge same as for back.

Right Front: work same as for left front, reversing all shaping and working cable/lace pat as foll: selvage st, work last 6 sts of pat rep, selvage st.

Left Sleeve: cast on 38 sts and work in rib pat for 2" [5cm]. Work first st after selvage st as p1 and last st before selvage st as p1. Next, work in cable/lace pat according to chart as foll: selvage st, work pat rep 3 times, selvage st. Shape sleeve: inc 1 st at each end every 8th row 7 times, then every foll 6th row 5 times – 62 sts. Work increased sts into cable/lace pat. When sleeve measures 20" [51cm] from beg, bind off all sts.

Right Sleeve: work same as for left sleeve and work cable/lace pat as foll: selvage st, work last 6 sts of pat rep, work pat rep twice, work first 6 sts of pat rep, selvage st.

Finishing: sew shoulder seams. Left front band: with circular needle, beg at center back neck edge and end at left side seam, pick up and k approx. 158 sts and work in rib pat for approx. 2" [5 cm]. Bind off all sts. Right front band: beg at right side seam and end at center back neck edge, pick up and k approx. 158 sts and work same as for left front band. Sew trim seam at center back. Next, pick up and k approx. 74 sts along lower edge of back between side seams and work in rib pat for approx. 2" [5 cm]. Bind off all sts. Sew side seams incl trim. Sew sleeve seams. Sew in sleeves.

Chart

On WS rows, p all sts and yo's.






Chart key:

- = k1
- = yo
- ↘ = k2tog
- ↘ = SKP [sl1 kwise, k1, pss0]
- ▨ = sl3 to cn and hold in front of work, k3, k3 from cn
- ▨ = sl3 to cn and hold in back of work, k3, k3 from cn



For more information go to www.lanagrossa.com